in the administration of the estate of the said deceased may, if he desire, appear in this court on the said 19th day of May 1936, and see the proceedings before the grant of probate (or, of letters of administration).

Given under my hand and the seal of the Court, this 26th day of March 1936.

T. SINGARAVELU MUDALIAR,
District Judge.

THE BANK OF MYSORE, LIMITED, BANGALORE.

Statement of the affairs of the Bank of Mysore, Limited, for the week ending 9th April 1936, published under Article 141 of the Articles of Association.

LIABILITIES		ASSETS	
	Rs.		Rs.
To Capital Receipts ..	20,00,000	By Cash in Hand and at Bankers ..	31,60,255
„ Reserve Fund ..	24,25,000	„ Loans and Cash Credit Accounts	159,68,862
„ Public and other Deposits	222,13,280	„ Bills discounted	6,27,777
„ Sundries	4,06,510	„ Investments	66,01,144
		„ Balance at Agencies	2,787
(Annas and pies omitted.)		„ Dead Stock	5,95,554
		„ Sundries	88,411
Total ..	270,44,790	Total ..	270,44,790

BANGALORE,
Dated 14th April 1936.

P. W. O'BRIEN,
Manager.

OFFICE OF THE INSPECTOR-GENERAL OF POLICE.

Notification No. G. C. 79 of 1934-35, *dated Bangalore, the 8th April* 1936.

Mathias, Police Constable No. 156, Mudigere Taluk, is permitted to change his name as B. M. W. Martis.

F. A. HAMILTON,
Inspector-General of Police.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 16802-20, *dated 8t April* 1936.

To

The Firms dealing in Electrical Materials.

Enquiry No. 1771.

Re: ELECTRICALLY DRIVEN BLOWER FANS.

GENTLEMEN,

The closing date of the above enquiry has been extended from the 11th April 1936 to the 20th April 1936.

No. S. P. C. 16917-24, *dated 9th April* 1936.

To

The Firms dealing in Chlorinators.

Enquiry No. 1775.

CHLORINATOR FOR SIVASAMUDRAM WATER WORKS.

GENTLEMEN,

In continuation of this office enquiry No. 15917-26, dated 26th March 1936, I write to state that the closing date of the above enquiry is postponed from the 20th of April 1936 to the 6th of May 1936.

No. S. P. C. 15903-16, *dated* 1*st April* 1936.

To

The Firms dealing in Pressed Steel Tank and Staging.

Enquiry No. 1776.

PRESSED STEEL TANK AND STAGING FOR MANDYA WATER WORKS.

GENTLEMEN,

Please intimate your best price and earliest time of delivery f.o.r., Mandya, for a pressed steel tank and staging of the description given in the below specification.

Detailed specification of the tank and staging with a sketch or a blue print of the same showing the materials used should be furnished along with your quotation.

It should be distinctly understood that if your quotation be accepted, you will be required to make the supply within the stipulated time and to the specification furnished with the tender failing which the order would be subject to cancellation. In such an event, the Stores Purchase Committee reserve the right to levy a penalty of three percent of the value of the order as and by way of liquidated damages in addition to debiting you with any extra cost that may be incurred in having to obtain the materials from other sources.

The enquiry will be closed on 25th April 1936.

Specification for the Elevated Tank required for Mandya Water Works. Pressed Steel Tank.

The tank should consist of pressed steel plates either of 4′ or 5′ square, the size of the tank being either 32′×24′×8′ (38,400 gals.) or 25′×25′×10′ (38,750 gals.), the thickness of all the bottom plates and the lower half of the side plates being ¼″ and the upper half being 3/16″. The tank should be provided with ⅛″ thick mild steel plate covering supported on angle iron rafters with necessary slopes for draining out all water and manhole cover 21″ diameter with necessary locking arrangements should also be provided for. The tank should have suitable stays inside. A steel ladder to get into the tank from the manhole should be included with necessary fixtures. Suitable ventilators should also be provided for on the top cover.

A suitable level indicator with necessary pulleys floats and pointer, etc., complete should be provided with necessary gauge board.

Sufficient quantity of proper jointing material, bolts and nuts with washers, etc., complete, should be sent to enable the erection of the same at sight.

The steel staging 30′ high to support the above tank should consist of angle iron or channel iron stanchions with angle iron bracings of suitable dimensions and the stanchions should be provided with proper base plates, foundation bolts, etc. The angle iron bracings should preferably be fixed with gusset plates to the stanchions.

Proper section of main beams either channel section or I section with joists on top for supporting the tank should also be included.

The staging parts should be erected at the works and each part accurately numbered so that they could be assembled at site easily. All the bolt holes should be accurately done.

A suitable ladder from the ground to the top of the tank should be included to facilitate climbing up the tank and all the necessary struts and fixtures should be completely given.

Two sets of correct working drawings with complete dimensions of all the parts should be sent to facilitate erection.

The tank and the staging should be painted with a coat of red-oxide paint before despatch.

No. S. P. C. 16291-305, *dated* 1*st April* 1936.

To

The Firms dealing in Tank and Staging.

Enquiry No. 1784.

TANK AND STAGING TO MC.GANN HOSPITAL, SHIMOGA.

GENTLEMEN,

Please intimate your best price and earliest time of delivery f.o.r., Shimoga, for a pressed steel tank and staging of the description given in the below specification.

Detailed specification of the tank and staging with a sketch or a blue print of the same showing the materials to be used should be furnished along with your quotation.

It should be distinctly understood that if your quotation be accepted, you will be required to make the supply within the stipulated time and to the specification furnished with your tender, failing which the order would be subject to cancellation. In such an event, the Stores Purchase

Committee reserve the right to levy a penalty of three percent of the value of order as and by way of liquidated damages in addition to debiting you with any extra cost that may be incurred in having to obtain the materials from other sources.

The enquiry will be closed on 25th April 1936.

Specification for a Steel Elevated Tank 12′×12′×4′ (3,600 *Gallons Capacity*) *on* 25 *Ft. Staging for Mc.Gann Hospital, Shimoga.*

1. The tank should consist of pressed steel 4′ plates, the thickness of all the bottom plates and the lower half of the side plates being ¼″ thick and the upper half being 3/16″ thick. The tank should be provided with ⅛″ thick mild steel plate covering supported on angle iron rafters with necessary slopes for draining out all water. A dust proof manhole cover 21″ diameter with necessary locking arrangements should also be provided for. The tank should have suitable stays inside. A steel ladder to get into the tank from the manhole should be included with necessary fixtures.

2. A suitable level indicator with necessary pulleys, float, etc., should be provided for with a prominent gauge board.

3. Sufficient quantity of jointing materials, bolts and nuts with washers, etc., complete, should be sent to enable the erection being done at site.

4. The staging 25 ft. high to support the above tank should consist of angle iron or channel iron stanchions with angle iron bracings of suitable dimensions and the stanchions should be provided with suitable base plate and foundation bolts, etc.

5. Proper section of main joists either channel or I beam with top joists for supporting the tank should be included.

6. The staging parts should be erected at the works and each part accurately numbered so that they could be assembled at site easily. All the bolt holes should be accurately done.

7. A suitable ladder from the ground to the top of the tank should be included to facilitate climbing up the tank and all the necessary fixtures and struts to the same should be completely given.

8. It is preferable to provide gusset plates for the bracings instead of direct joints to the stanchions.

9. The tank and the staging materials should be painted with a coat of red-oxide paint.

No. S. P. C. 16793-800, *dated 9th April* 1936.

To

The Firms dealing in Steel Cabinets.

Enquiry No. 1788.

DEAR SIR—GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the under-mentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed " Quotations for Steel Cabinets " with the above enquiry number.

This enquiry will be closed on the 27th April 1936.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Rigid Steel Storage Cabinets, 36″ wide 78″ high 18″ deep with 8 adjustable shelves in each cabinet (Electrically welded throughout) ..	Two.	Bangalore.	

No. S. P. C. 16783-84, *dated 9th April* 1936.

To

The Firms dealing in Maps and Charts.

Enquiry No. 1790.

DEAR SIR—GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed " Quotations for Kannada Maps " with the above enquiry Number.

This enquiry will be closed on the 23rd April 1936.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
			Bangalore.	
	KANNADA WALL MAPS, POLITICAL COLOURING.			
	Asia	7		
	Europe	7		
	Africa	7		
	North America	5		
	South America	5		
	Australia	2		

Yours faithfully,

V. VEDAVYASACHARYA,

Secretary,

Stores Purchase Committee.

Statement of orders placed by the Stores Purchase Committee, Government of Mysore, Bangalore, during the week ending Saturday the 21st March 1936.

Indent Enquiry No.	Description of material	Quantity	Name of firm	Value of contract
			Messrs.—	Rs. a. p.
Local. 3479	Drugs, country	lot.	R. Papanna & Sons, Bangalore City.	2,887 0 0 lot free delivery.
1694 5481	Apparatus & Chemicals required for Laboratory at Coffee Experimental Farm.	lot.	T. Ramachendra Rao, Bangalore.	266 13 0 lot. f.o.r., Chickmagalur Out-Agency
1698 3482	Oil Engine 20—22 B.H.P. " Crossley " complete with one centrifugal pump, one air compressor and one air lift pump, complete with foot valves, etc.	2 sets	The Consolidated Pneumatic Tool Co., Bombay.	10,885 0 0 lot f.o.r., Arsikere.
1684 3448	Rails, steel, secondhand 50 lbs. 30 ft. long.	500	Imperial Railway Material Corporation, Bangalore.	21 9 6 per rail f.o.r., Bangalore.
Extn. 3483	Furniture	lot.	K. Papiah, Bangalore ..	910 8 0 free delivery, at Bangalore City.
1690				2,723 2 0 do do
				743 1 0 do at Nelamangala
			V. Venkatasubbiah & Sons, Bangalore.	340 12 0 do at Anekal.
			K. A. Ramaswamy, Bangalore City	933 12 0 do at Channapatna
				660 12 0 do at Dodballapur
3484	Potassium Dichromate	1 ton.	Havero Trading Co., Madras	36 12 0 cwt. f.o.r., Bhadravati.

Indent & Enquiry No.	Description of material	Quantity	Name of Firm	Value of contract
Foreign. 1960	Wire rubber insulated 14 B. & S. vulcanized for 600 volts.	14,000 ft.	Francis Klein, Bombay ..	£0 14 10 per 100 ft. c.i.f., Madras
1511	Do 12 B. & S. ..	11,000 ft.	Do ..	£ 1 0 3 do
	Do 14 B. & S. 7 stranded	57,000 ft.	Do ..	£ 0 17 10 do
	Do 12 B. & S. ..	60,000 ft.	Do ..	£ 1 4 11 do
	Do 10 B. & S. ..	10,000 ft.	Do ..	£ 1 12 1 do
	Do 8 B. & S. vulcanized	13,000 ft.	Massey Ganz & Hackethal, Madras.	£ 2 2 0 do
	Do 6 B. & S. ..	11,000 ft.	Do ..	£ 2 17 0 do
	Do 4 B. & S. ..	2,500 ft.	Do ..	£ 4 0 0 do
	Do 2 B. & S. ..	2,500 ft.	Do ..	£ 5 15 0 do
	Wire twin turned copper conductor, sheathed with coat of pure lead, 12 B. & S.	8,400 ft.	Do ..	£ 3 19 0 do
	10 B. & S.	1,600 ft.	Do ..	£ 6 2 0 do
	8 B. & S.	300 ft.	Do ..	£ 9 4 0 do
	6 B. & S.	300 ft.	Do ..	£12 15 0 do
1961	Cables, underground telephone 10 lbs. size.	50 miles	Felten & Guilleaumme Carlswerk, Germany.	£5,688 0 0 c.i.f., Madras.
1650	Junction Boxes out-door type provided with lightning arresters.	50	English Electric Co., Madras..	£457 0 0 c.i.f., Madras.
1962	Wire, copper, hard drawn bare 10 B. & S.	100 tons	Telephone & General Trust Ltd., London.	£ 48 14 0 per ton c.i.f., Madras.
1649				
1896	Street Light fittings	300 sets	Kilburn & Co., Calcutta ..	$ 5.18 per set f.a.s., New York
Extn.				
1963	Insulators, suspension, Clovis type Locke 10" dia. 5½" spacing with brown glazed finish.	6,000	International General Electric Co., Bangalore City.	£ 0 6 2 each c.i.f., Madras.
1631				
1964	Evaporator, "L" type, horizontal, Kestner patent.	1	Kestner Evaporator & Engineering Co., London, through the Trade Commissioner for Mysore.	£127 0 0 f.o.b., London.
1965	Panel sheets for Mysore Railways ..	lot.	Smith & Mclean Ltd., London, through the Trade Commissioner for Mysore.	£ 76 17 2 lot f.o.b., Glasgow.
1578				
	Basin, wash hand	4	J. Levick Ltd., through the Trade Commissioner for Mysore.	£ 66 0 0 lot f.o.b., London.
	Hardware materials such as catches, racks, lap plates, etc.	lot.	Do ..	£ 35 19 0 lot do
1813	Relay Auxiliary type HG. 7 for operation on a D.C. 110-140 volts central circuit.	1	International General Electric, Co., London, through the Trade Commissioner for Mysore.	$ 27·28 f.a.s., New York.
Extn.				
1966	Wiring devices, fuses and fuses links	lot.	International General Electric Co., Bangalore City.	$ 15,001·62 f.a.s.c New York.
1629				

Statement of orders placed by the Stores Purchase Committee, Government of Mysore, Bangalore, during the Week ending Saturday the 28th March 1936.

Local. 3485	Asbestos Cement Corrugated Sheets, Everest Big Six 7 ft. long	28 sheets	Messrs:— The States Engineering Co., Bangalore City.	Rs. a. p. 0 4 0 Sq. ft. free delivery at Bangalore.
1674	41½" wide each.			
3486	Beside Lockers, teakwood, 2½'× 18"× 18" with cuddapah slab at	25	The Superintendent, Government Industrial School, Shimoga.	9 12 0 each free delivery at Shimoga.
1719	the top, one shelf in the middle and wire gauze with iron strap.			
3487	Apparatus & Chemicals required for Entomological Section.	lot.	T. Ramachendra Rao, Bangalore City.	376 6 0 f.o.r., Bangalore
1700			Oriental Science Apparatus Workshop, Ambala Cantt.	181 0 0 do
3488	Long cloth grey 36"× 40 yds. quality No. 1122.	40 pieces	Mysore Spg. & Mfg. Co., Bangalore City.	9 5 6 per piece free delivery at Bangalore.
1737	Do bleached 34"× 40 yds. No. 954.	15 pieces		
3490	Electric Blower & Motor 10 H.P. 1420 R.P.M. with starter complete.	1 set	Turner Hoare & Co., Ltd., Bombay.	2,430 0 0 f.o.r., Bangalore.
1553				
3491	Formal De Hyde packed in 25 kilos glass carboys.	672 lbs.	Havero Trading Co., Ltd., Madras.	0 4 7 lb. f.o.r., Mysore.
1544				
3492	Maps, wall, Kannada	124	S. K. Linganniah, Bangalore	242 0 0 f.o.r delivery at Anekal and Nelamangala.
1692				
3493	Flood Lights, submersible G.E. Novalux.	15	International General Electric Co., Bangalore.	4,197 0 0 f.o.r., Mysore.
3494	Frames manhole circular 21" dia. with covers of 4 cwt.	24	Eswara Iron Foundry, Bangalore.	19 8 0 each f.o.r., Mysore South.
3495	Earth borer set consisting of Auger 6" rods, chisel and wrenches.	6 sets	The Industrial & Agricultural Engineering Co., Bangalore City.	40 0 0 each set f.o.r., Chikmagalur Out Agency
1718				

Indent & Enquiry No.	Description of material	Quantity	Name of Firm	Value of contract
Foreign. 1969				
1605	Lightning Arresters, Thyrite, 3 phase	2 sets	International General Electric Co., Bangalore.	$ 840·00 set f.a.s., New York.
1971	Panels black slate each 90″ × 24″ × 1½″ with 318″ bevel on all front edges.	4	La Claire Electric Lamps Corporation.	£5–10–5 each c.i.f., Madras.
1623	Pipe and base channels 4″ × 2″ ..	lot.	Do ..	17–18–0 lot do
	Switches disconnecting, single pole, single throw, 300 amperes, 8000 volts, out door type.	18	Johnson & Phillips Ltd., Bombay.	Rs. 31 0 0 each c.i.f., Madras.
1973	Extract of Ergot, conc. ..	210 lbs.	Evans Sons Lescher & Webb Ltd., Liverpool through the Trade Commissioner for Mysore in London.	Sh. 29 lb. c.i.f., Madras.
1708				

V. VEDAVYASACHARYA,
Secretary,
Stores Purchase Committee.